

Image

Native Resolution

1280 x 800

Maximum Resolution

1920 x 1200

Standard Mode Brightness

Up to **3600 lm**

Native Aspect Ratio

16:10

Compatible Aspect Ratio

16:9

4:3

Contrast Ratio

20,000:1

Throw Ratio

1.55 to 1.87 (1524 mm@2000 mm)

Digital Zoom

1.80x

Vertical Keystone Correction

-30°/+30°

Horizontal Keystone Correction

-30°/+30°

Maximum Vertical Sync

120 Hz

Maximum Horizontal Sync

100 kHz

Minimum Vertical Sync

24 Hz

Minimum Horizontal Sync

15 kHz

Colour Supported

1.07 Billion Colors (30-bit)

Projection Lens

Minimum Lens Aperture

F/2.42

Maximum Lens Aperture

F/2.62

Minimum Focal Length

22 mm

Maximum Focal Length

25.79 mm

Minimum Diagonal Image Size

1016 mm

Maximum Diagonal Image Size

7.62 m (300")

Minimum Projection Distance

1 m

Maximum Projection Distance

10.20 m

Optical Zoom

1.2x

Lamp

Lamp Type

UHP

Number of Lamps

1

Lamp Power

210 W

Normal Mode Lamp Life

5000 Hour

Economy Mode Lamp Life

10000 Hour

ExtremeEco Mode Lamp Life

15000 Hour

Interfaces/Ports

HDMI

Yes

Number of USB Ports

2

USB

Yes

Network (RJ-45)

Yes

Number of VGA Inputs

1

VGA In

Yes

Number of VGA Outputs

1

VGA Out

Yes

Number Of Audio Inputs

1

Number Of Audio Outputs

1

Audio Line In

Yes

Audio Line Out

Yes

Total Number of HDMI Ports

2

Technical Information

Projection System

DLP

Projection Method

Ceiling

Front

Rear

Rear Ceiling

Video Compatibility

EDTV

HDTV

NTSC

PAL

SDTV

SECAM

Computer Compatibility

Mac PC

Windows PC

Audio

Number of Speakers

1

Speaker Output Power

2 W

Speaker Output Mode

Mono

Multimedia Features

Multimedia Playback

Adobe PDF Viewer

Microsoft Excel

Microsoft PowerPoint

Microsoft Word

Photo Slide Show

Power Description

Power Supply

100 V AC~240 V AC

Input Voltage

120 V AC

230 V AC

Operating Power Consumption

270 W

Physical Characteristics

Temperature

0°C to 40°C

Humidity

90% Maximum Relative Humidity

Weight (Approximate)

2.60 kg

Form Factor

Ceiling Mountable

Miscellaneous

Optional Accessories

3D Glasses (MC.JFZ11.00B)

Lamp (MC.JRD11.001)

Ceiling Mount (MC.JLC11.003)

Warranty

Warranty

Standard Warranty.

